



## Frequently Asked Questions

**Q: Why do I have to give VETORYL Capsules every day?**

A: The active ingredient in VETORYL Capsules is trilostane, a short-acting drug that must be given daily to control the disease.

**Q: How do I give VETORYL Capsules to my dog?**

A: You should give your dog VETORYL Capsules with a meal in the morning. Food improves the absorption of VETORYL Capsules. Morning dosing makes it more convenient to schedule the monitoring tests that need to take place four to six hours after dosing.

**Q: What do I do on the day of monitoring?**

A: Give the prescribed dose of VETORYL Capsules at the regular time with a small amount of food.

**Q: What should I do if I forget a capsule?**

A: Give the prescribed dose of VETORYL Capsules at the next regular dosing time. Do not give a double dose the next day.

**Q: How long will my dog need treatment?**

A: Most dogs need to be given VETORYL Capsules for life.

**Q: How long will it take my dog to improve after beginning treatment with VETORYL Capsules?**

A: Clinical signs such as lethargy or increased drinking, eating, and urination often improve within the first two weeks of treatment. Skin changes and hair regrowth may take three to six months to improve.

**Q: Will I need to revisit my veterinarian?**

A: Yes. It is important for your veterinarian to supervise your dog's progress and monitor the dosage of VETORYL Capsules. Evaluations should be performed at 2 weeks, 4 weeks, and 12 weeks after starting treatment. Once on the maintenance dose, your dog should be evaluated by your veterinarian every three months.

**Q: Do VETORYL Capsules have any side effects?**

A: VETORYL Capsules are well tolerated by most dogs. If your dog develops any sign of illness while on VETORYL Capsules – particularly lethargy, vomiting, diarrhea, or loss of appetite – stop treatment immediately and contact your veterinarian as soon as possible.



*Following 9 months  
of treatment with VETORYL*

Photographs courtesy of Carlos Melian, DVM, PhD