Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection

Date: 10/2022 Version No: 2022-2 Page 1 of 10



SECTION 1: IDENTIFICATION			
1.1 Product identifier			
Product name	Meloxivet (meloxicam) 5 mg/mL Solution for Injection		
Chemical name	Not Applicable		
Synonyms	Not Available		
Proper shipping name	Flammable liquids, n.o.s.		
Chemical formula	Not Applicable		
Other means of identification Not Available			
1.2 Relevant identified uses of the substances or mixture and uses advised against			
Recommended uses Control of pain and inflammation associated with osteoarthritis in dogs			
1.3 Details of the supplier of the su	bstance or mixture		
Registered company name (US)			
Address	7015 College Blvd Suite 525		
	Overland Park KS 66211 USA		
Telephone	866-933-2472		
Fax	Not Available		
Email	Not Available		
1.4 Emergency telephone numbers	1.4 Emergency telephone numbers		
Dechra (US)	866-933-2472		

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements (GHS.USA)

NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A, Classification Reproductive Toxicity Category 1B, Flammable Liquids Category 3

2.2 Label elements

Hazard pictogram(s)





Signal word

Danger

Hazard statement(s)

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.H360 May damage fertility or the unborn child.
- H226 Flammable liquid and vapor.

Hazard(s) not otherwise classified

Not Applicable

Precautionary statement(s) prevention

- P201 Obtain special instructions before use. P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 - P233 Keep container tightly closed.
 - P280 Wear protective gloves, protective clothing, eye protection and face protection.
 - P240 Ground/bond container and receiving equipment.
 - P241 Use explosion-proof electrical/ventilating/lighting/intrinsically safe equipment.
 - P242 Use only non-sparking tools.
 - P243 Take precautionary measures against static discharge.
 - P202 Do not handle until all safety precautions have been read and understood.
 - P264 Wash all exposed external body areas thoroughly after handling

Precautionary statement(s) response

- P308+P313 | IF exposed or concerned: Get medical advice/ attention.
- P370+P378 In case of fire: Use alcohol resistant foam or normal protein foam to extinguish.

Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection

Date: 10/2022 Version No: 2022-2 Page 2 of 10



P305+P351+	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if			
P338	present and easy to do. Continue rinsing.			
P337+P313	If eye irritation persists: Get medical advice/attention.			
P302+P352	IF ON SKIN: Wash with plenty of water.			
P303+P361+	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with			
P353	water/shower.			
P332+P313	If skin irritation occurs: Get medical advice/attention.			
P362+P364	Take off contaminated clothing and wash it before reuse.			
Precautionary	statement(s) storage			
P403+P235	Store in a well-ventilated place. Keep cool.			
P405	Store locked up.			
Precautionary	statement(s) disposal			
P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.			

3.1 Substances See section about	ove for composition of Subs	tances
3.2 Mixtures		
CAS No.	% [weight]	Name
7647-14-5	Not Spec	sodium chloride
7647-01-0	Not Spec	hydrochloric acid
71125-38-7	Not Spec	meloxicam
56-40-6	Not Spec	glycine
1310-73-2	Not Spec	sodium hydroxide
Not Available	Not Spec	alcohol, proprietary
31692-85-0	Not Spec	polyethylene glycol tetrahydrofurfuryl ether
6284-40-8	Not Spec	N-methylglucamine
9003-11-6	Not Spec	polypropylene/ polyethylene glycol copolymer
7732-18-5	Not Spec	water

SECTION	SECTION 4: FIRST AID MEASURES		
4.1 Descri	ption of first aid measures		
Eye	Immediately flush eyes with copious quantities of water for at least 15 minutes. If irritation occurs or		
contact	persists, notify medical personnel and supervisor.		
Skin	Wash exposed area with soap and water and remove contaminated clothing/shoes. If irritation occurs		
contact	or persists, notify medical personnel and supervisor.		
Inhalation	Immediately move exposed subject to fresh air. Immediately notify medical personnel and supervisor.		
Ingestion	If swallowed, call a physician immediately. Wash out the mouth with water and notify medical		
	personnel and supervisor.		
4.2 Most i	mportant symptoms and effects, both acute and delayed		
See s	section 11		

4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

For non-steroidal anti-inflammatories (NSAIDs)

- Symptoms following acute NSAIDs overdoses are usually limited to lethargy, drowsiness, nausea, vomiting, and
 epigastric pain, which are generally reversible with supportive care. Gastrointestinal bleeding can occur. Hypertension,
 acute renal failure, respiratory depression, and coma may occur, but are rare. Anaphylactoid reactions have been
 reported with therapeutic ingestion of NSAIDs, and may occur following an overdose.
- Patients should be managed by symptomatic and supportive care following a NSAIDs overdose.
- There are no specific antidotes.
- Emesis and/or activated charcoal (60 to 100 grams in adults, 1 to 2 g/kg in children), and/or osmotic cathartic may be indicated in patients seen within 4 hours of ingestion with symptoms or following a large overdose (5 to 10 times the usual dose).
- Forced diuresis, alkalinization of urine, hemodialysis, or hemoperfusion may not be useful due to high protein binding.
- For gastrointestinal hemorrhage, monitor stool guaiac and administer antacids or sucralfate.
- For mild/moderate allergic reactions, administer antihistamines with or without inhaled β-agonists, corticosteroids, or epinephrine.
- For severe allergic reactions, administer oxygen, antihistamines, epinephrine, or corticosteroids. Nephritis or nephrotic

Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection

Date: 10/2022 Version No: 2022-2 Page 3 of 10



syndrome, thrombocytopenia, or haemolytica anemia may respond to glucocorticoid administration.

- For severe acidosis, administer sodium bicarbonate.
- Administer as required: plasma volume expanders for severe hypotension; diazepam or other benzodiazepine for convulsions; vitamin K1 for hypoprothrombinemia; and/or dopamine plus dobutamine intravenously to prevent or reverse early indications of renal failure.

SECTION 5: FIR	SECTION 5: FIRE FIGHTING MEASURES				
5.1 Extinguishing	media				
Use foam, dry	chemical powder, BCF (where regulations permit), carbon dioxide or water spray or fog –				
large fires only					
5.2 Special hazard	s arising from the substance or mixture				
Fire	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches,				
incompatibility	pool chlorine etc. as ignition may result				
5.3 Special protective actions for fire-fighters:					
Firefighting	May be violently or explosively reactive. Wear full body protective clothing with breathing				
	apparatus. Prevent, by any means available, spillage from entering drains or water				
	course. Use water delivered as a fine spray to control fire and cool adjacent area. Avoid				
	spraying water onto liquid pools. DO NOT approach containers suspected to be hot. Cool				
	fire exposed containers with water spray from a protected location. If safe to do so,				
	remove containers from path of fire.				
Fire / explosion	Liquid and vapour are flammable. Moderate fire hazard when exposed to heat or flame.				
hazard	Vapour forms an explosive mixture with air. Moderate explosion hazard when exposed				
	to heat or flame. Vapour may travel a considerable distance to source of ignition. Heating				
	may cause expansion or decomposition leading to violent rupture of containers. On				
	combustion, may emit toxic fumes of carbon monoxide.				

SECTION 6: AC	CIDENTAL RELEASE MEASURES		
6.1 Personal preca See Section 8	utions, protective equipment and emergency procedures		
6.2 Environmental	precautions		
See Section 12			
6.3 Methods and m	aterial for containment and cleaning up		
Minor spills	Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb small quantities with vermiculite or other absorbent material. Wipe up. Collect residues in a flammable waste container.		
Major spills Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. No smoking, naked lights or ignition sources. Increase ventilation. Stop leak if safe to do so. Contain spill with sand, earth or vermiculite. Collect solid residues and seal in labelled drums for disposal. Wash area and prevent runoff into drains.			
Personal Protective	Equipment advice is contained in Section 8.		

SECTION 7: HAN	SECTION 7: HANDLING AND STORAGE				
7.1 Precautions for	safe handling				
Safe handling	Do NOT cut, drill, grind, weld or perform similar operations on or near containers. Avoid all personal contact, including eye, skin, clothing and inhalation. Avoid accidental injection. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT allow clothing wet with material to stay in contact with skin. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Wash hands thoroughly after handling.				
Other information	Store in original containers in approved flammable liquid storage area. Store away from incompatible materials in a cool, dry, well-ventilated area. DO NOT store in pits, depressions, basements or areas where vapours may be trapped. No smoking, naked lights, heat or ignition sources.				
7.2 Conditions for s	7.2 Conditions for safe storage, including any incompatibilities				
Suitable container	HDPE bottle with a heat sealed, child-resistant cap and a desiccant included in each				

Safety Data Sheet Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection Date: 10/2022 Version No: 2022-2 Page 4 of 10



	bottle. Keep container tight closed. Store below 25°C. Glass container is suitable for laboratory quantities.
Storage	attacks most metals forming flammable hydrogen gas, and some plastics, rubbers and
incompatibility	coatings. Reacts with zinc, brass, galvanised iron, aluminium, copper and copper
	alloys. Avoid reaction with oxidising agents.

SECTION 8: EXPO	OSURE CONTRO	DLS / PE	ERSON	AL PROT	ECTION				
8.1 Control paramete	ers								
Occupational exposu									
Source	Ingredient	Material	name	TWA	STEL	Peak		Notes	
US OSHA Permissible Exposure Limits (PELs) Table Z-1	hydrochloric acid	Hydroge	n chloride	Not Availab	e Not Available	5 ppm / 7 mg/m ³		Not Available	
US NIOSH Recommende Exposure Limits (RELs)	.,			Not Availab	le Not Available	5 ppm / 7 mg/m ³		Not Available	
US OSHA PELs Table Z		Sodium hydroxide			Not Available	Not Available		Not Available	
US NIOSH RELs	sodium hydroxide	Sodium	nydroxide	Not Availab	e Not Available	e 2 mg/m³ Not Availab			
Emergency limits									
Ingredient			TEEL-1		TEEL-2		TEE		
sodium chloride			0.5 ppm		2 ppm		20 p		
hydrochloric acid			Not Ava		Not Available	<u>e</u>		Available	
hydrochloric acid			1.8 ppm		22 ppm			ppm	
sodium hydroxide	ulana ah saal aan ah sa		Not Ava		Not Available	е		Available	
polypropylene/ polyeth	ylenegiycol copolym	er	6.9 mg/		76 mg/m ³		460	mg/m ³	
Ingredient			Origina		Revised IDI				
sodium chloride			Not Ava	ilable		Not Available			
hydrochloric acid			50 ppm			Not Available			
meloxicam			Not Ava		Not Available				
glycine				Not Available Not Available					
sodium hydroxide	t			mg/m3 Not Available					
polyethylene glycol te	tranydrofurfuryi etne	<u> </u>	Not Ava			Not Available Not Available			
N-methylglucamine	ulana aluaal aanalum	or	Not Ava		Not Available				
polypropylene/ polyeth water	yleriegiycol copolym	еі	Not Ava			Not Available			
	D !!		INOL AVA	паріс	TVOL AVAIIADI	<u> </u>			
Occupational Expos			Dand D	4:	Occupational	F		Dan al Limit	
Ingredient	Occupational E	xposure	Band Ra		Occupational	Expos	ure E	sand Limit	
sodium chloride	E				≤ 0.01 mg/m³				
meloxicam	<u> E</u> E				≤ 0.01 mg/m³ ≤ 0.01 mg/m³				
glycine	E				≤ 0.01 mg/m³				
N-methylglucamine		acocc of a	ccianina c		≤ 0.01 mg/m³ nicals into specific categories or bands based on a				
chemical's potency and occupational exposure baworker health.	the adverse health of	outcomes	associate	d with expo	sure. The outpu	ıt of thi	s pro	cess is an	
8.2 Exposure control	ls								
Appropriate engineering controls	Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.								
Personal protection									
	When handling very small quantities of the material eye protection may not be required.								
	setting occurs: chemical goggles, face shield, full face shield may be required. Contact								
	lenses may pose a s		azard.						
	See Hand protection		.,						
Hands/feet protection	Wear suitable protec	tive clothi	ng if skin	contact with	n arug product i	s possil	ble.		

Safety Data Sheet Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection Date: 10/2022 Version No: 2022-2 Page 5 of 10



Body protection	See Other protection below
Other protection	For quantities up to 500 grams a laboratory coat may be suitable. For larger quantities
	use overalls, PVC apron. PVC protective suit may be required if exposure severe.
	Eyewash unit. Ensure there is ready access to a safety shower.
Respiratory	Type AB-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001,
protection	ANSI Z88 or national equivalent).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
9.1 Information on basic physical and chemical properties				
Appearance: Clear yellow liquid	Vapor density: NA			
Physical state: Liquid	Auto ignition temperature (°C): NA			
Odor: Not Available	Decomposition temperature (°C): NA			
Odor threshold: NA	Viscosity (°C): NA			
pH (as supplied): 8.2 – 9.2	Explosive properties: NA			
Melting point / freezing point (°C): NA	Oxidizing properties: NA			
Initial boiling point and boiling range: NA	Partition coefficient: NA			
Flash point: 36	Molecular weight: NA			
Evaporation rate: NA	Taste: NA			
Flammability: Flammable	Surface tension: NA			
Upper/lower flammability or explosive limits: NA	Volatile component (%vol): NA			
Vapor pressure: NA	Gas group: NA			
Relative density (at °C): NA	pH as a solution: NA			
Solubility in water (mg/l): Partly miscible	VOC g/L: NA			
	Specific gravity @ 20°C (water = 1): NA			

10: STABILITY AND REACTIVITY		
Reactivity	See Section 7	
Chemical stability	Product is considered stable. Hazardous polymerization will not occur.	
	Unstable in the presence of incompatible materials	
Possibility of hazardous reactions	See Section 7	
Conditions to avoid	See Section 7	
Incompatible materials	See Section 7	
Hazardous composition	See Section 5	

OFOTION 44	TOVICOL COLONI, INFORMATION		
SECTION 11:	TOXICOLOGICAL INFORMATION		
Inhalation	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.		
Ingestion			
Skin contact			
Eye contact			
Chronic	There is sufficient evidence to provide a strong presumption that human exposure to the material may result in impaired fertility on the basis of: - clear evidence in animal studies of impaired fertility in the absence of toxic effects, or evidence of impaired fertility occurring at around the same dose levels as other toxic effects but which is not a secondary non-specific consequence of other toxic effects.		
Meloxivet	Acute toxicity	Irritation	
solution for injection	•	Not Available	
sodium chloride	Acute toxicity	Irritation	
30didili dilidide	Dermal (rabbit) LD ₅₀ : >10000 mg/kg ^[1]	Eye (rabbit): 10 mg – moderate	

Safety Data Sheet Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection Date: 10/2022 Version No: 2022-2 Page 6 of 10



	Inhalation(Rat) LC ₅₀ : >10	.5 mg/l4h ^[1]	Eye (rabbit):100 mg/24h – moderate		
	Oral (Rat) LD ₅₀ : 3000 mg/kg ^[2]		Skin (rabbit): 500 mg/24h - mild		
	Acute toxicity		Irritation		
hydrochloric acid	dermal (mouse) LD ₅₀ : 1449 mg/kg ^[2]		Eye (rabbit): 5mg/30s – mild		
	Oral (Rat) LD ₅₀ : 900 mg/k	$g^{[2]}$	Eye: adverse effect observed (irritating) [1]		
			Skin: adverse effect observed (corrosive ^[1]		
				Skin: adverse effect observed (irritating[1]	
	Acute toxicity		Irritation		
meloxicam	Oral (Rabbit) LD ₅₀ : 320 m	g/kg ^[2]		Eye (rabbit): Not irritating *	
			Skin (rabbit): Not irritating *		
	Acute toxicity		Irritation		
glycine	Oral (Rat) LD ₅₀ : 7930 mg/	′kg ^[2]		Eye: no adverse effect observed (not irritating[1]	
			Skin: no adverse effect observed (not irritating	ıg ^[1]	
	Acute toxicity		Irritation		
	Dermal (rabbit) LD ₅₀ : 1350		Eye (rabbit): 0.05 mg/24h SEVERE		
sodium	Oral (Rabbit) LD ₅₀ : 325 m	g/kg ^[1]	Eye (rabbit):1 mg/24h SEVERE		
hydroxide			Eye (rabbit):1 mg/30s rinsed-SEVERE		
ny aromao			Eye: adverse effect observed (irritating) ^[1]		
			Skin (rabbit): 500 mg/24h SEVERE		
			Skin: adverse effect observed (corrosive) ^[1]		
					
polyethylene		. (4)	Irritation		
glycol	Acute toxicity Oral (Rat) LD ₅₀ : >2000 mg	g/kg ^[1]			
glycol tetrahydrofurfuryl		g/kg ^[1]	Irritation		
glycol	Oral (Rat) LD ₅₀ : >2000 mg	g/kg ^[1]	Irritation Not Available		
glycol tetrahydrofurfuryl	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity		Irritation Not Available Irritation	\[1]	
glycol tetrahydrofurfuryl ether	Oral (Rat) LD ₅₀ : >2000 mg		Irritation Not Available Irritation Eye: no adverse effect observed (not irritating		
glycol tetrahydrofurfuryl ether N- methylglucamine	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg		Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating		
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity	g/kg ^[1]	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation		
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/ polyethylene	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32	g/kg ^[1] mg/L4h ^[2]	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation Eye (rabbit): 500 mg/24h – mild		
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32 Oral (Rat) LD ₅₀ : 2300 mg/	g/kg ^[1] mg/L4h ^[2]	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation) Eye (rabbit): 500 mg/24h – mild Skin (rabbit): 500 mg/24h - mild		
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/ polyethylene	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32 Oral (Rat) LD ₅₀ : 2300 mg/ Acute toxicity	g/kg ^[1] mg/L4h ^[2] 'kg ^[2]	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation) Eye (rabbit): 500 mg/24h – mild Skin (rabbit): 500 mg/24h - mild Irritation		
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/ polyethylene glycol copolymer water	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32 Oral (Rat) LD ₅₀ : 2300 mg/ Acute toxicity Oral (Rat) LD ₅₀ : >90000 mg/	g/kg ^[1] : mg/L4h ^[2] :/kg ^[2]	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation) Eye (rabbit): 500 mg/24h – mild Skin (rabbit): 500 mg/24h - mild Irritation Not Available	g) ^[1]	
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/ polyethylene glycol copolymer water	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32 Oral (Rat) LD ₅₀ : 2300 mg/ Acute toxicity Oral (Rat) LD ₅₀ : >90000 mg/ Grom manufacturer's SDS. Un	g/kg ^[1] : mg/L4h ^[2] :/kg ^[2]	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation) Eye (rabbit): 500 mg/24h – mild Skin (rabbit): 500 mg/24h - mild Irritation	g) ^[1]	
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/ polyethylene glycol copolymer water 1 Value obtained	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32 Oral (Rat) LD ₅₀ : 2300 mg/ Acute toxicity Oral (Rat) LD ₅₀ : >90000 mg/ Grom manufacturer's SDS. Un	g/kg ^[1] mg/L4h ^[2] ng/kg ^[2] less otherwise s	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation) Eye (rabbit): 500 mg/24h – mild Skin (rabbit): 500 mg/24h - mild Irritation Not Available	g) ^[1]	
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/ polyethylene glycol copolymer water 1 Value obtained of chemical Sub-	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32 Oral (Rat) LD ₅₀ : 2300 mg/ Acute toxicity Oral (Rat) LD ₅₀ : >90000 mg/ from manufacturer's SDS. Unstances Acute Toxicity Skin Irritation/Corrosion	g/kg ^[1] mg/L4h ^[2] r/kg ^[2] ng/kg ^[2] less otherwise s	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation) Eye (rabbit): 500 mg/24h − mild Skin (rabbit): 500 mg/24h − mild Irritation Not Available pecified data extracted from RTECS - Register of Toxic E Carcinogenicity Reproductivity ✓	g) ^[1]	
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/ polyethylene glycol copolymer water 1 Value obtained of chemical Subse	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32 Oral (Rat) LD ₅₀ : 2300 mg/ Acute toxicity Oral (Rat) LD ₅₀ : >90000 mg/ from manufacturer's SDS. Unstances Acute Toxicity Skin Irritation/Corrosion rios Eye Damage/Irritation	g/kg ^[1] mg/L4h ^[2] ng/kg ^[2] less otherwise s	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation) Eye (rabbit): 500 mg/24h – mild Skin (rabbit): 500 mg/24h – mild Irritation Not Available pecified data extracted from RTECS - Register of Toxic E	g) ^[1]	
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/ polyethylene glycol copolymer water 1 Value obtained of chemical Subse	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32 Oral (Rat) LD ₅₀ : 2300 mg/ Acute toxicity Oral (Rat) LD ₅₀ : >90000 mg/ from manufacturer's SDS. Unstances Acute Toxicity Skin Irritation/Corrosion rios Eye Damage/Irritation	g/kg ^[1] mg/L4h ^[2] ng/kg ^[2] less otherwise s	Irritation Not Available Irritation Eye: no adverse effect observed (not irritating Skin: no adverse effect observed (not irritating Irritation) Eye (rabbit): 500 mg/24h − mild Skin (rabbit): 500 mg/24h − mild Irritation Not Available pecified data extracted from RTECS - Register of Toxic E Carcinogenicity Reproductivity ✓	g) ^[1]	
glycol tetrahydrofurfuryl ether N- methylglucamine polypropylene/ polyethylene glycol copolymer water 1 Value obtained of chemical Subse	Oral (Rat) LD ₅₀ : >2000 mg Acute toxicity Oral (Rat) LD ₅₀ : ~5000 mg Acute toxicity Inhalation(Rat) LC ₅₀ : 0.32 Oral (Rat) LD ₅₀ : 2300 mg/ Acute toxicity Oral (Rat) LD ₅₀ : >90000 mg/ from manufacturer's SDS. Unstances Acute Toxicity Skin Irritation/Corrosion	g/kg ^[1] mg/L4h ^[2] kg ^[2] ng/kg ^[2] less otherwise s	Irritation	g) ^[1]	

SECTION 12: ECOLOGICAL INFORMATION					
12.1 Toxicity	12.1 Toxicity				
Meloxivet solution	Endpoint	Test Duration (hr)	Species	Value	Source
for injection	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	168h	Crustacea	0.63mg/l	4
sodium chloride	LC50	96h	Fish	3644-4565mg/l	4
Socialii Cilionae	EC50	72h	Algae or other aquatic plants	20.76-36.17mg/L	4
	EC50	48h	Crustacea	340.7-469.2mg/l	4
	EC50	96h	Algae or other aquatic plants	1110.36mg/L	4
	Endpoint	Test Duration (hr)	Species	Value	Source
hydrochloric acid	EC50(ECx)	9.33h	Fish	0.51mg/L	4
	LC50	96h	Fish	334.734mg/L	4
meloxicam	Endpoint	Test Duration (hr)	Species	Value	Source
	Not Available	Not Available	Not Available	Not Available	Not Available
	Endpoint	Test Duration (hr)	Species	Value	Source
	NOEC(ECx)	48h	Crustacea	>=220mg/l	2
glycine	EC50	72h	Algae or other aquatic plants	>1000mg/l	2
	EC50	48h	Crustacea	>220mg/l	2
	LC50	96h	Fish	>1000mg/l	2
sodium hydroxide	Endpoint	Test Duration (hr)	Species	Value	Source
Socialii Hydroxide	EC0(ECx)	48h	Crustacea	34.59-47.13mg/l	4

Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection

Date: 10/2022 Version No: 2022-2 Page 7 of 10



	LC50	96h	Fish	144-267mg/l	4
	EC50	48h	Crustacea	34.59-47.13mg/l	4
polyethylene	Endpoint	Test Duration (hr)	Species	Value	Source
glycol	EC50	72h	Algae or other aquatic plants	>100mg/l	2
tetrahydrofurfuryl	EC50	48h	Crustacea	>100mg/l	2
ether	NOEC(ECx)	72h	Algae or other aquatic plants	>=100mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
N-	EC0(ECx)	48h	Crustacea	320mg/l	1
	LC50	96h	Fish	>1000mg/l	2
methylglucamine	EC50	72h	Algae or other aquatic plants	>1000mg/l	2
	EC50	48h	Crustacea	>1000mg	1
polypropylene/	Endpoint	Test Duration (hr)	Species	Value	Source
polyethylene	EC50(ECx)	48h	Crustacea	>100mg/l	Not Available
glycol copolymer	EC50	48h	Crustacea	>100mg/l	Not Available
	LC50	96h	Fish	100mg/l	Not Available
water	Endpoint	Test Duration (hr)	Species	Value	Source
water	Not Available	Not Available	Not Available	Not Available	Not Available

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) -Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

12.2 Persistence and degradate	pility	
Ingredient	Persistence: Water/Soil	Persistence: Air
sodium chloride	LOW	LOW
hydrochloric acid	LOW	LOW
glycine	LOW	LOW
sodium hydroxide	LOW	LOW
N-methylglucamine	LOW	LOW
sodium chloride	LOW	LOW
12.3 Bioaccumulative potentia		
Ingredient	Bioaccumulation	
sodium chloride	LOW (LogKOW = 0.5392)	
hydrochloric acid	LOW (LogKOW = 0.5392)	
glycine	LOW (LogKOW = -3.21)	
sodium hydroxide	LOW (LogKOW = -3.8796)	
N-methylglucamine	LOW (LogKOW = -3.1455)	
12.4 Mobility in soil		
Ingredient	Mobility	·
sodium chloride	LOW (KOC = 14.3)	
hydrochloric acid	LOW (KOC = 14.3)	
glycine	HIGH (KOC = 1)	
sodium hydroxide	LOW (KOC = 14.3)	
N-methylglucamine	LOW (KOC = 10)	

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product / packaging disposal

Disposal of the material must be carried out in accordance with the requirements of the relevant Federal/State Act(s) or Code(s) regulating the disposal of Drugs of Addiction. DO

NOT allow wash water from cleaning or process equipment to enter drains

SECTION 14: TRANSPORT INFORMATION Labels required Marine pollutant No Land transport (US: DOT) UN number 1993

Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection

Date: 10/2022 Version No: 2022-2 Page 8 of 10



IIN managa ahimming garaga	Flammadala ligurida		1	
UN proper shipping name				
Transport hazard class(es)	Class	3		
. ,	Subrisk	Not Applicable		
Packing group	III			
Environmental hazard				
Special precautions for user		Hazard Label 3		
•	Special provisions	B1, B52, IB3, T4, TP1,	TP29	
Land transport (ICAO-IATA / DO				
UN number	1993			
UN proper shipping name	Flammable liquid, n.o.s.*			
	ICAO/IATA Class		3	
Transport hazard class(es)	ICAO / IATA Subrisk		Not Applicable	
	ERG Code		3L	
Packing group	III			
Environmental hazard	Not Applicable			
	Special provisions		A3	
	Cargo Only Packing Instructions		366	
	Cargo Only Maximum Qty / Pack		220 L	
	Passenger and Cargo Packing Instructions		355	
Special precautions for user	Passenger and Cargo Maximum Qty / Pack		60 L	
	Passenger and Cargo Limited Quantity Packing		Y344	
	Instructions			
	Passenger and Cargo Limited Maximum Qty / 10		10 L	
	Pack			
Land transport IMDG-Code / GO	SVSee)			
UN number	1993			
UN proper shipping name	FLAMMABLE LIQUID, N.	O.S.		
Transport hazard class(es)	IMDG Class	3		
Transport nazard class(es)	IMDG Subrisk	Not Applicable		
Packing group				
Environmental hazard	Not Applicable			
	EMS Number	F-E, S-E		
Special precautions for user	Special provisions	223 274 955		
	Limited Quantities 5 L			
Transport in bulk according to Annex II of MARPOL and the IBC code				
Not Applicable				
Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code				
Product nam				
	Not Available for any ing	gredient		
Transport in bulk in accordance				
	Product name Ship type			
	Not Available for any ingredient			

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Product regulated by FDA as a veterinary product

sodium chloride is found on the following regulatory lists

US DOE Temporary Emergency Exposure Limits (TEELs), US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

hydrochloric acid is found on the following regulatory lists

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs US - Massachusetts - Right To Know Listed Chemicals, US ACGIH Threshold Limit Values (TLV), US ACGIH TLV - Carcinogens, US Clean Air Act - Hazardous Air Pollutants, US CWA (Clean Water Act) - List of Hazardous Substances, US Department of Homeland Security (DHS) - Chemical Facility, Anti-Terrorism Standards (CFATS) - Chemicals of Interest, US DOE TEELs, US Drug Enforcement Administration (DEA) List I and II Regulated Chemicals, US EPA Integrated Risk Information System (IRIS), US EPCRA section 313 chemical list, US NIOSH Recommended Exposure Limits (RELs), US OSHA Permissible Exposure Limits (PELs) Table Z-1, US SARA Section 302 Extremely Hazardous Substances, US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection

Date: 10/2022 Version No: 2022-2 Page 9 of 10

Canada - DSL



meloxicam is found on the following regulatory lists

FEI Equine Prohibited Substances List – Controlled medication, FEI Equine Prohibited Substances List (FPSL)

glycine is found on the following regulatory lists

US TSCA Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

sodium hydroxide is found on the following regulatory lists

US - Massachusetts - Right To Know Listed Chemicals, US CWA (Clean Water Act) - List of Hazardous Substances, US DOE TEELs, US NIOSH RELs, US OSHA PELs Table Z-1, US TSCA Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

polyethylene glycol tetrahydrofurfuryl ether is found on the following regulatory lists

US - California Hazardous Air Pollutants Identified as Toxic Air Contaminants, US EPCRA Section 313 Chemical List

N-methylglucamine homopolymer is found on the following regulatory lists

US TSCA Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

polypropylene/polyethylene glycol copolymer is found on the following regulatory lists

US DOE TEELs, US TSCA Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

water is found on the following regulatory lists

US TSCA Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

Substances					
Federal Regulations					
Superfund Amendments a	nd Reauthorization Act of 1986 (SAI	RA)			
Section 311/312 hazard cate					
Flammable (Gases, Aerosols, Liquids, or Solids)		Yes			
Gas under pressure		No			
Explosive		No	No		
Self-heating		No	No		
Pyrophoric (Liquid or Solid)		No	No		
Pyrophoric Gas		No			
Corrosive to metal		No			
Oxidizer (Liquid, Solid or Ga	s)	No			
Organic Peroxide		No			
Self-reactive		No			
In contact with water emits fl	ammable gas	No			
Combustible Dust		No			
Carcinogenicity			No		
Acute toxicity (any route of e	xposure)		No		
Reproductive toxicity			Yes		
Skin Corrosion or Irritation		Yes			
Respiratory or Skin Sensitization		No			
Serious eye damage or eye irritation		Yes			
Specific target organ toxicity (single or repeated exposure)		No	1.12		
Aspiration Hazard		No			
Germ cell mutagenicity		No			
Simple Asphyxiant		No			
Hazards Not Otherwise Classified		No			
US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)					
Name	Reportable Quantity in Pounds (Ib)		Reportable Quantity in kg		
hydrochloric acid	5000		2270		
sodium hydroxide	odium hydroxide 1000 454		454		
State Regulations					
US. California Proposition 65					
Not reported					
National Inventory Status					
Australia - AIIC / Australia Non- No (meloxicam)					
Industrial Use	•				
			-		

No (meloxicam; polyethylene glycol tetrahydrofurfuryl ether)

Product Name: Meloxivet (meloxicam) 5 mg/mL Solution for Injection

Date: 10/2022 Version No: 2022-2 Page 10 of 10



Canada - NDSL	No (sodium chloride; hydrochloric acid; meloxicam; glycine; sodium hydroxide; polyethylene glycol tetrahydrofurfuryl ether; N-
	methylglucamine; polypropylene/ polyethylene glycol copolymer; water)
China - IECSC	No (meloxicam)
Europe - EINEC / ELINCS /	No (meloxicam; polyethylene glycol tetrahydrofurfuryl ether; polypropylene/
NLP	polyethylene glycol copolymer)
Japan - ENCS	No (meloxicam; polyethylene glycol tetrahydrofurfuryl ether)
Korea - KECI	No (meloxicam; polyethylene glycol tetrahydrofurfuryl ether)
New Zealand - NZIoC	Yes
Philippines - PICCS	No (meloxicam)
USA - TSCA	No (meloxicam; polyethylene glycol tetrahydrofurfuryl ether)
Taiwan - TCSI	Yes
Mexico - INSQ	No (polyethylene glycol tetrahydrofurfuryl ether; N-methylglucamine;
	polypropylene/ polyethylene glycol copolymer)
Vietnam - NCI	No (polyethylene glycol tetrahydrofurfuryl ether)
Russia - FBEPH	No (meloxicam; polyethylene glycol tetrahydrofurfuryl ether)
Yes = All CAS declared ingredients a	are on the inventory, No = One or more of the CAS listed ingredients are not on the

inventory. These ingredients may be exempt or will require registration.

SECTION 16: OTHER INFORMATION

Classification of the preparation and its individual components has drawn on an independent review by the Chemwatch Classification committee using available literature references.

Initial Date: 22 Feb 2021

Revision 1: March 2022 - Acute Health (eye), Acute Health (inhaled), Acute Health (skin), Acute Health (swallowed), Appearance,

Chronic Health, Classification, Environmental, Fire Fighter (extinguishing media), First Aid (swallowed), Handling Procedure, Personal Protection (other), Personal Protection (Respirator), Personal Protection (hands/feet), Storage (storage incompatibility), Storage (storage requirement), Transport Information, Use

Revision 2: October 2022 - Product name

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists IDLH: Immediately Dangerous to Life or Health Concentrations

AIIC: Australian Inventory of Industrial Chemicals IECSC: Inventory of Existing Chemical Substance in China

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European List of Notified Chemical Substances ENCS: Existing and New Chemical Substances Inventory

PICCS: Philippine Inventory of Chemicals and Chemical Substances

INSQ: Inventario Nacional de Sustancias Químicas

NCI: National Chemical Inventory

FBEPH: Russian Register of Potentially Hazardous Chemical and Biological Substances

NZIoC: New Zealand Inventory of Chemicals TCSI: Taiwan Chemical Substance Inventory STFL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit

ES: Exposure Standard OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index DSL: Domestic Substances List NDSL: Non-Domestic Substances List

NLP: No-Longer Polymers KECI: Korea Existing Chemicals Inventory TSCA: Toxic Substances Control Act

The information provided in this Safety Data Sheet has been compiled by Dechra Veterinary Products LLC and is correct to the best of its knowledge, information and belief as of the date of its publication. However, Dechra Veterinary Products LLC makes no warranties, express or implied, in relation to the information set out in this Safety Data Sheet, including, without limitation, as to its accuracy or completeness. The information provided is not a quality specification, and is prepared by way of guidance as to the safe handling, use, processing, storage, transportation, disposal and release of the relevant products referred to. The user is responsible for determining whether or not the product is fit for any particular purpose and/or suitable for the user's proposed method of use and application.

Copyright, 2022 Dechra Veterinary Products LLC. All rights reserved.

Copying and/or downloading of this information for the purpose of properly utilizing Dechra Veterinary Products LLC products is permitted provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained Dechra Veterinary Products LLC, and (2) neither the copy nor the original is resold or otherwise distributed for the purposes of making a profit thereon.