

**SECTION 1: IDENTIFICATION****1.1 Product identifier**

<b>Product name</b>	Clavacillin™ (amoxicillin trihydrate/clavulanate potassium) Veterinary Tablets
<b>Synonyms</b>	Amoxicillin Trihydrate and Clavulanate Potassium Tablets
<b>Proper shipping name</b>	Not available
<b>Other means of identification</b>	None

**1.2 Relevant identified uses of the substances or mixture and uses advised against**


<b>Recommended uses</b>	Oral tablet / antibiotic. For professional use only
<b>Uses advised against</b>	Not for human use

**1.3 Details of the supplier of the substance or mixture**

<b>Registered company name</b>	Dechra Veterinary Products
<b>Address</b>	7015 College Blvd Suite 525 Overland Park KS 66211 USA
<b>Telephone</b>	866-933-2472
<b>Fax</b>	Not available
<b>Email</b>	Not available

**1.4 Emergency telephone numbers**

<b>Dechra (US)</b>	866-933-2472
--------------------	--------------

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****NFPA 704 diamond**

Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

<b>Classification</b>	Skin Corrosion/Irritation Category 2, Sensitisation (Skin) Category 1, Serious Eye Damage/Eye Irritation Category 2A, Sensitisation (Respiratory) Category 1, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3, Carcinogenicity Category 1A
-----------------------	---

**2.2 Label elements**

<b>Hazard pictogram(s)</b>	
<b>Signal word</b>	<b>Danger</b>

**2.3 Hazard Statement(s)**

<b>H315</b>	Causes skin irritation.
<b>H317</b>	May cause an allergic skin reaction.
<b>H319</b>	Causes serious eye irritation.
<b>H334</b>	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
<b>H335</b>	May cause respiratory irritation.
<b>H350</b>	May cause cancer.

**2.4 Precautionary statement(s) Prevention**

<b>P201</b>	Obtain special instructions before use.
<b>P261</b>	Avoid breathing dust/fumes.
<b>P271</b>	Use only outdoors or in a well-ventilated area.
<b>P280</b>	Wear protective gloves and clothing, eye protection and face protection.
<b>P284</b>	[In case of inadequate ventilation] wear respiratory protection.
<b>P202</b>	Do not handle until all safety precautions have been read and understood.
<b>P264</b>	Wash all exposed external body areas thoroughly after handling.
<b>P272</b>	Contaminated work clothing must not be allowed out of the workplace.

**2.5 Precautionary statement(s) Response**

<b>P304+P340</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
<b>P308+P313</b>	IF exposed or concerned: Get medical advice/attention.
<b>P342+P311</b>	If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician/first aider.
<b>P305+P351+P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>P312</b>	Call a POISON CENTER/doctor/physician/first aider if you feel unwell.
<b>P333+P313</b>	If skin irritation or rash occurs: Get medical advice/attention.
<b>P337+P313</b>	If eye irritation persists: Get medical advice/attention.
<b>P302+P352</b>	IF ON SKIN: Wash with plenty of water.
<b>P332+P313</b>	If skin irritation occurs: Get medical advice/attention.
<b>P362+P364</b>	Take off contaminated clothing and wash it before reuse.
<b>P304+P340</b>	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
<b>P308+P313</b>	IF exposed or concerned: Get medical advice/attention.

**2.6 Precautionary statement(s) Storage**

<b>P405</b>	Store locked up.
<b>P403+P233</b>	Store in a well-ventilated place. Keep container tightly closed.

**2.7 Precautionary statement(s) Disposal**

<b>P501</b>	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
-------------	--

### SECTION 3: COMPOSITION / INFORMATION ON THE INGREDIENTS

#### 3.1 Substances

See section below for composition of Mixtures.

#### 3.2 Mixtures

CAS No	%[weight]	Name
61336-70-7	30-60	<u>amoxicillin trihydrate</u>
9004-34-6	30-60	<u>microcrystalline cellulose</u>
61177-45-5	10-30	<u>potassium clavulanate</u>
9063-38-1	1-10	<u>sodium starch glycolate</u>
557-04-0	1-10	<u>magnesium stearate</u>
9004-65-3	<1	<u>hypromellose E5</u>
7631-86-9	<1	<u>colloidal silicon dioxide</u>
13463-67-7	<1	<u>titanium dioxide</u>
25322-68-3	<1	<u>polyethylene glycol 6000</u>
14807-96-6	<1	<u>talc</u>
51274-00-1	<1	<u>iron oxide yellow</u>

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

##### Eye contact:

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if irritation persists.

##### Skin contact:

Immediately remove all contaminated clothing, including footwear. Wash off with soap and plenty of water. Consult a physician if irritation persists.

##### Inhalation:

The risk of inhalation exposure is negligible when product is in its final packaged form. If exposed and become symptomatic, move to fresh air and get medical attention if symptoms persist.

##### Ingestion:

If swallowed do **NOT** induce vomiting. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Treat symptomatically.

## SECTION 5: FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

There is no restriction on the type of extinguisher which may be used.  
Use extinguishing media appropriate for surrounding fire.

### 5.2 Special hazards arising from the substance or mixture

#### Fire Incompatibility

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

### 5.3 Special protective equipment and precautions for fire-fighters:

#### Fire Fighting

Firefighters should wear inhalation protection as hazardous substances from the fire may be adsorbed on the silica particles.  
Wear breathing apparatus plus protective gloves in the event of a fire.  
Prevent, by any means available, spillage from entering drains or water courses.  
Use fire fighting procedures suitable for surrounding area.  
**DO NOT** approach containers suspected to be hot.  
Equipment should be thoroughly decontaminated after use.

#### Fire/Explosion Hazard

Explosion may emit poisonous/corrosive fumes.  
When heated to extreme temperatures, (>1700°C) amorphous silica can fuse.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

See Section 8

### 6.2 Environmental precautions

See Section 12

### 6.3 Methods and material for containment and cleaning up

#### Minor Spills

Clean up waste regularly and abnormal spills immediately. Avoid breathing dust and contact with skin and eyes.  
Wear protective clothing, gloves, safety glasses and dust respirator. Use dry clean up procedures and avoid generating dust.

#### Major Spills

Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing.  
Wash area down with large amounts of water and prevent runoff into drains.  
If contamination of drains or waterways occurs, advise Emergency Services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

<b>Safe handling</b>	<p>Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. <b>DO NOT</b> enter confined spaces until atmosphere has been checked. <b>DO NOT</b> allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, <b>DO NOT</b> eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Observe manufacturer's storage and handling recommendations contained within this SDS..</p>
<b>Other information</b>	<p>Store in original containers. Keep containers securely sealed. Store in a cool, dry area protected from environmental extremes. Store away from incompatible materials and foodstuff containers. Protect containers against physical damage and check regularly for leaks. Observe manufacturer's storage and handling recommendations contained within this SDS. For major quantities.</p>

### 7.2 Conditions for safe storage, including any incompatibilities

<b>Suitable container</b>	Tablets are packaged in foil strip packs.
<b>Storage incompatibilities</b>	Protect from direct sunlight. Do not freeze. Store at 20° to 25°C (68° to 77°F), excursions permitted between 15° and 30°C (between 59° and 86°F). Avoid strong acids, bases and oxidizing agents.

### 7.3 Specific end use(s)

Antibacterial. For professional use only. Federal (U.S.A.) law restricts this drug to be used by or on the order of a licensed veterinarian.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

#### Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Limits (PELs) Table Z-3	microcrystalline cellulose	Inert or Nuisance Dust: Respirable fraction	5 mg/m <sup>3</sup> / 15mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3		Inert or Nuisance Dust: Total Dust	15 mg/m <sup>3</sup> / 50mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1		Cellulose- Total dust	15 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1		Cellulose- Respirable fraction	5 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US NIOSH		Cellulose - total	10 mg/m <sup>3</sup>	Not	Not	Not



Recommended Exposure Limits (RELs)				Available	Available	Available	
US NIOSH Recommended Exposure Limits (RELs)		Cellulose - respirable	5 mg/m <sup>3</sup>	Not Available	Not Available	Not Available	
US ACGIH Threshold Limit Values (TLV)		Cellulose	10 mg/m <sup>3</sup>	Not Available	Not Available	Not Available	
US OSHA Permissible Exposure Limits (PELs) Table Z-3	magnesium stearate	Inert or Nuisance Dust: Respirable fraction	5 mg/m <sup>3</sup> / 15mppcf	Not Available	Not Available	Not Available	
US OSHA Permissible Exposure Limits (PELs) Table Z-3		Inert or Nuisance Dust: Total Dust	15 mg/m <sup>3</sup> / 50mppcf	Not Available	Not Available	Not Available	
US OSHA Permissible Exposure Limits (PELs) Table Z-1		Particulates Not Otherwise Regulated (PNOR)- Total dust	15 mg/m <sup>3</sup>	Not Available	Not Available	Not Available	
US OSHA Permissible Exposure Limits (PELs) Table Z-1		Particulates Not Otherwise Regulated (PNOR)- Respirable fraction	5 mg/m <sup>3</sup>	Not Available	Not Available	Not Available	
US NIOSH Recommended Exposure Limits (RELs)		Particulates not otherwise regulated	Not Available	Not Available	Not Available	See Appendix D	
US ACGIH Threshold Limit Values (TLV)		Stearates (Inhalable particulate matter)	10 mg/m <sup>3</sup>	Not Available	Not Available	A4	
US ACGIH Threshold Limit Values (TLV)		Stearates (Respirable particulate matter)	3 mg/m <sup>3</sup>	Not Available	Not Available	A4	
US OSHA Permissible Exposure Limits (PELs) Table Z-3		colloidal silicon dioxide	Amorphous, including natural diatomaceous earth	80 (%SiO <sub>2</sub> ) mg/m <sup>3</sup> / 20 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1			Particulates Not Otherwise Regulated (PNOR)- Respirable fraction	5 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1	Particulates Not Otherwise Regulated (PNOR)- Total dust		15 mg/m <sup>3</sup>	Not Available	Not Available	Not Available	
US NIOSH Recommended Exposure Limits (RELs)	Silica, amorphous		6 mg/m <sup>3</sup>	Not Available	Not Available	Not Available	
US OSHA Permissible Exposure Limits (PELs) Table Z-3	titanium dioxide	Inert or Nuisance Dust: Total Dust	15 mg/m <sup>3</sup> / 50mppcf	Not Available	Not Available	Not Available	
US OSHA Permissible Exposure Limits (PELs) Table Z-3		Inert or Nuisance Dust: Respirable fraction	5 mg/m <sup>3</sup> / 15mppcf	Not Available	Not Available	Not Available	
US OSHA Permissible Exposure Limits (PELs) Table Z-1		Titanium dioxide - Total dust	15 mg/m <sup>3</sup>	Not Available	Not Available	Not Available	
US NIOSH Recommended Exposure Limits (RELs)		Titanium dioxide	Not Available	Not Available	Not Available	Ca; See Appendix A	
US ACGIH Threshold Limit Values (TLV)		Titanium dioxide	10 mg/m <sup>3</sup>	Not Available	Not Available	(A4)	
US OSHA Permissible Exposure Limits (PELs) Table Z-3	talc	Silicates (less than 1% crystalline silica): Soapstone	20 mppcf	Not Available	Not Available	Not Available	



US OSHA Permissible Exposure Limits (PELs) Table Z-3		Silicates (less than 1% crystalline silica): Talc (containing asbestos)	Not Available	Not Available	Not Available	Use asbestos limit
US OSHA Permissible Exposure Limits (PELs) Table Z-3		Silicates (less than 1% crystalline silica): Talc (not containing asbestos)	20 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1		Particulates Not Otherwise Regulated (PNOR)- Respirable fraction	5 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1		Particulates Not Otherwise Regulated (PNOR)- Total dust	15 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)		Talc (containing no asbestos and less than 1% quartz) - respirable	2 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)		Talc: Containing asbestos fibers	Not Available	Not Available	Not Available	A1
US ACGIH Threshold Limit Values (TLV)		Talc: Containing no asbestos fibers (Respirable particulate matter)	2 mg/m <sup>3</sup>	Not Available	Not Available	A4
US OSHA Permissible Exposure Limits (PELs) Table Z-3	iron Oxide Yellow	Inert or Nuisance Dust: Respirable fraction	5 mg/m <sup>3</sup> / 15 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-3		Inert or Nuisance Dust: Total Dust	15 mg/m <sup>3</sup> / 50 mppcf	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1		Particulates Not Otherwise Regulated (PNOR)- Total dust	15 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Limits (PELs) Table Z-1		Particulates Not Otherwise Regulated (PNOR)- Respirable fraction	5 mg/m <sup>3</sup>	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)		Particulates not otherwise regulated	Not Available	Not Available	Not Available	See Appendix D
<b>Emergency Limits</b>						
<b>Ingredient</b>	<b>TEEL-1</b>	<b>TEEL-2</b>	<b>TEEL-3</b>			
colloidal silicon dioxide	18 mg/m <sup>3</sup>	200 mg/m <sup>3</sup>	1,200 mg/m <sup>3</sup>			
	18 mg/m <sup>3</sup>	100 mg/m <sup>3</sup>	630 mg/m <sup>3</sup>			
	120 mg/m <sup>3</sup>	1,300 mg/m <sup>3</sup>	7,900 mg/m <sup>3</sup>			
	45 mg/m <sup>3</sup>	500 mg/m <sup>3</sup>	3,000 mg/m <sup>3</sup>			
	18 mg/m <sup>3</sup>	740 mg/m <sup>3</sup>	4,500 mg/m <sup>3</sup>			
titanium dioxide	30 mg/m <sup>3</sup>	330 mg/m <sup>3</sup>	2,000 mg/m <sup>3</sup>			
polyethylene glycol 6000	30 mg/m <sup>3</sup>	1,300 mg/m <sup>3</sup>	7,700 mg/m <sup>3</sup>			
<b>Ingredient</b>	<b>Original IDLH</b>		<b>Revised IDLH</b>			
amoxicillin trihydrate	Not Available		Not Available			
microcrystalline cellulose	Not Available		Not Available			
potassium clavulanate	Not Available		Not Available			


sodium starch glycolate	Not Available	Not Available
magnesium stearate	Not Available	Not Available
hypromellose E5	Not Available	Not Available
colloidal silicon dioxide	3,000 mg/m <sup>3</sup>	Not Available
titanium dioxide	5,000 mg/m <sup>3</sup>	Not Available
polyethylene glycol 6000	Not Available	Not Available
talc	1,000 mg/m <sup>3</sup>	Not Available
iron Oxide Yellow	Not Available	Not Available

### Occupational Exposure Banding

Ingredient	Occupational Exposure Band Rating	Occupational Exposure Band Limit
amoxicillin trihydrate	E	≤ 0.01 mg/m <sup>3</sup>

Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health

## 8.2 Exposure controls

<b>Appropriate engineering controls</b>	Avoid creating or spreading dust. Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.
<b>Personal protection</b>	
<b>Hand/feet protection</b>	The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.
<b>Eye and face protection</b>	When handling very small quantities of the material eye protection may not be required. For laboratory, larger scale or bulk handling or where regular exposure in an occupational setting occurs wear chemical goggles with side-shields.
<b>Skin and body protection</b>	Wear suitable protective clothing if skin contact with drug product is possible. See Hand protection above.
<b>Other protection</b>	For up to 500 g a laboratory coat may be suitable. For up to 1 kg a disposable laboratory coat or coverall of low permeability is recommended. Coveralls should be buttoned at collar and cuffs. For over 1 kg and manufacturing operations, wear disposable coverall of low permeability and disposable shoe covers. Eye wash unit and ready access to an emergency shower. For Emergencies: Vinyl suit
<b>Respiratory protection</b>	Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent). If exposure limits are exceeded or irritation is experienced, ventilation and excavation may be required.



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b> Yellowish tablets <b>Physical state:</b> Solid <b>Odor:</b> Not Available <b>Odor threshold:</b> Not Available <b>pH (as supplied):</b> Not Available <b>Melting point / freezing point (degrees C):</b> Not Available <b>Initial boiling point and boiling range:</b> Not Available <b>Flash point:</b> Not Applicable <b>Evaporation rate:</b> Not Available <b>Flammability:</b> Not Available <b>Upper / lower flammability or explosive limits:</b> Not Available <b>Vapor pressure:</b> Not Available <b>Relative density (at degrees C):</b> Not Available <b>Solubility in water and solvents (mg/l):</b> Not Available	<b>Vapor density:</b> Not Available <b>Auto ignition temperature (degrees C):</b> Not Applicable <b>Decomposition temperature (degrees C):</b> Not Available <b>Viscosity (degrees C):</b> Not Available <b>Explosive properties:</b> None <b>Oxidizing properties:</b> None <b>Partition coefficient:</b> Not Available <b>Molecular weight:</b> Not Applicable <b>Taste:</b> Not Available <b>Surface tension:</b> Not Available <b>Volatile component:</b> Not Available <b>Gas group:</b> Not Available <b>pH as a solution:</b> Not Available <b>VOC g/L:</b> Not Available <b>Specific gravity @ 20 degrees C (water = 1):</b> Not Available
---	--

## 10: REACTIVITY AND STABILITY

<b>Reactivity</b>	Hazardous reactions will not occur under normal conditions.
<b>Chemical stability</b>	Stable under recommended handling and storage conditions.
<b>Possibility of hazardous reactions</b>	Stable under recommended handling and storage conditions.
<b>Conditions to avoid</b>	See section 7
<b>Incompatible materials</b>	See section 7
<b>Hazardous decomposition products</b>	Decomposition will not occur under normal conditions

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

<b>Inhaled</b>	Evidence shows, or practical experience predicts, that the material produces irritation of the respiratory system, in a substantial number of individuals, following inhalation.
<b>Ingestion</b>	Accidental ingestion of the material may be damaging to the health of the individual.
<b>Skin contact</b>	Evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals.
<b>Eye</b>	Evidence exists, or practical experience predicts, that the material may cause eye irritation in a substantial number of individuals and/or may produce significant ocular lesions.

<b>Chronic</b>	On the basis of epidemiological data, it has been concluded that prolonged inhalation of the material, in an occupational setting, is likely to produce cumulative health effects and may produce cancer in humans.	
Clavacillin (amoxicillin trihydrate/clavulanate potassium) Veterinary Tablets	<b>TOXICITY</b>	<b>IRRITATION</b>
	Not Available	Not Available
amoxicillin trihydrate	<b>TOXICITY</b>	<b>IRRITATION</b>
	Dermal(rat) LD <sub>50</sub> >2000 mg/kg <sup>[1]</sup> Oral(rat) LD <sub>50</sub> >2000 mg/kg <sup>[1]</sup>	Not Available
microcrystalline cellulose	<b>TOXICITY</b>	<b>IRRITATION</b>
	Dermal(rabbit) LD <sub>50</sub> >2000 mg/kg <sup>[2]</sup> Inhalation(rat) LC <sub>50</sub> >5.8 mg/L4h <sup>[2]</sup> Oral(rat) LD <sub>50</sub> >5000 mg/kg <sup>[2]</sup>	Not Available
potassium clavulanate	<b>TOXICITY</b>	<b>IRRITATION</b>
	Oral(mouse) LD <sub>50</sub> : 4526 mg/kg <sup>[2]</sup>	Not Available
magnesium stearate	<b>TOXICITY</b>	<b>IRRITATION</b>
	Oral(rat) LD <sub>50</sub> >10000 mg/kg <sup>[2]</sup>	Not Available
hypromellose E5	<b>TOXICITY</b>	<b>IRRITATION</b>
	Oral(rat) LD <sub>50</sub> >10000 mg/kg <sup>[2]</sup>	Not Available
colloidal silicon dioxide	<b>TOXICITY</b>	<b>IRRITATION</b>
	Dermal(rat) LD <sub>50</sub> >2000 mg/kg <sup>[1]</sup> Inhalation(rat) LC <sub>50</sub> >0.139 mg/L4h <sup>[1]</sup> Oral(rat) LD <sub>50</sub> >1000 mg/kg <sup>[1]</sup>	Eye(rabbit): non-irritating* Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin(rabbit): non-irritating* Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
titanium dioxide	<b>TOXICITY</b>	<b>IRRITATION</b>
	Dermal (hamster) LD <sub>50</sub> >=10000 mg/kg <sup>[2]</sup> Inhalation(rat) LC <sub>50</sub> >2.28 mg/l4h <sup>[1]</sup> Oral(rat) LD <sub>50</sub> >=2000 mg/kg <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin(human): 0.3 mg /3D (int)-mild* Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
polyethylene glycol 6000	<b>TOXICITY</b>	<b>IRRITATION</b>
	Dermal (rat) LD <sub>50</sub> >2000 mg/kg <sup>[1]</sup> Oral(rat) LD <sub>50</sub> ; 600 mg/kg <sup>[2]</sup>	Eye(rabbit): 500 mg/24h –mild Eye: no adverse effect observed (not irritating) <sup>[1]</sup> Skin(rabbit): 500mg (open) mild. Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
talc	<b>TOXICITY</b>	<b>IRRITATION</b>
	Dermal (rat) LD <sub>50</sub> >2000 mg/kg <sup>[1]</sup> Inhalation(rat) LC <sub>50</sub> ; >2.1 mg/l4h <sup>[1]</sup>	Eye: no adverse effect observed (not irritating) <sup>[1]</sup>

	Oral(rat) LD <sub>50</sub> >5000 mg/kg <sup>[1]</sup>	Skin(human): 0.3 mg/3d-I mild Skin: no adverse effect observed (not irritating) <sup>[1]</sup>
iron oxide yellow	<b>TOXICITY</b>	<b>IRRITATION</b>
	Oral(rat) LD <sub>50</sub> >5000 mg/kg <sup>[2]</sup>	Not Available
1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances.		
<b>Acute Toxicity</b>	✘	<b>Carcinogenicity</b> ✓
<b>Skin Irritation/Corrosion</b>	✓	<b>Reproductivity</b> ✘
<b>Serious Eye Damage/Irritation</b>	✓	<b>STOT - Single Exposure</b> ✓
<b>Respiratory or Skin sensitisation</b>	✓	<b>STOT - Repeated Exposure</b> ✘
<b>Mutagenicity</b>	✘	<b>Aspiration Hazard</b> ✘
✘ - Data either not available or does not fill the criteria for classification ✓ - Data available to make classification		

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity: No additional information available

	Endpoint	Test Duration (hr)	Species	Value	Source
Clavacillin (amoxicillin trihydrate/ clavulanate potassium) Veterinary Tablets	Not Available	Not Available	Not Available	Not Available	Not Available
amoxycillin trihydrate	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	EC50	96h	Algae or other aquatic plants	0.002mg/l	2
	EC50	72h	Algae or other aquatic plants	56.3mg/l	2
	LC50	96h	Fish	>100mg/l	2
	EC50	48h	Crustacea	>1000mg/l	2
	NOEC(ECx)	96h	Algae or other aquatic plants	0.001mg/l	2
microcrystalline cellulose	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	Not Available	Not Available	Not Available	Not Available	Not Available
potassium clavulanate	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	Not Available	Not Available	Not Available	Not Available	Not Available
sodium starch glycolate	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	Not Available	Not Available	Not Available	Not Available	Not Available
magnesium stearate	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	Not Available	Not Available	Not Available	Not Available	Not Available
hypromellose E5	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	Not Available			Not Available	Not

		Not Available	Not Available		Available
colloidal silicon dioxide	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	EC0(ECx)	24h	Crustacea	>=10000mg/l	1
	EC50	72h	Algae or other aquatic plants	14.1mg/l	2
	LC50	96h	Fish	1033.016mg/l	2
	EC50	48h	Crustacea	>86mg/l	2
	EC50	96h	Algae or other aquatic plants	217.576mg/l	2
titanium dioxide	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	EC50	72h	Algae or other aquatic plants	3.75-7.58mg/l	4
	BCF	1008h	Fish	<1.1-9.6	7
	EC50	48h	Crustacea	1.9mg/l	2
	LC50	96h	Fish	1.85-3.06mg/l	4
	NOEC(ECx)	504h	Crustacea	0.02mg/l	4
	EC50	96h	Algae or other aquatic plants	179.05mg/l	2
polyethylene glycol 6000	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	EC50	48h	Crustacea	>100mg/l	2
	LC50	96h	Fish	>100mg/l	2
	EC50(ECx)	96h	Algae or other aquatic plants	>100mg/l	2
	EC50	96h	Algae or other aquatic plants	>100mg/l	2
talc	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	LC50	96h	Fish	89581.016mg/l	2
	NOEC(ECx)	720h	Algae or other aquatic plants	918.089mg/l	2
	EC50	96h	Algae or other aquatic plants	7202.7mg/l	2
iron oxide yellow	<b>Endpoint</b>	<b>Test Duration (hr)</b>	<b>Species</b>	<b>Value</b>	<b>Source</b>
	NOEC(ECx)	504h	Fish	0.52mg/l	2
	EC50	72h	Algae or other aquatic plants	18mg/l	2
	LC50	96h	Fish	0.05mg/l	2

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

DO NOT discharge into sewer or waterways.

#### 12.2 Persistence and degradability: No additional information available

Ingredient	Persistence: Water/Soil	Persistence: Air
amoxicillin trihydrate	HIGH	HIGH
microcrystalline cellulose	LOW	LOW
colloidal silicon dioxide	LOW	LOW
titanium dioxide	HIGH	HIGH
polyethylene glycol 6000	LOW	LOW

#### 12.3 Bioaccumulative potential: No additional information available

Ingredient	Bioaccumulation
amoxicillin trihydrate	LOW (LogKOW = 0.87)
microcrystalline cellulose	LOW (LogKOW = -5.1249)
colloidal silicon dioxide	LOW (LogKOW = 0.5294)
titanium dioxide	LOW (BCF = 10)
polyethylene glycol 6000	LOW (LogKOW = -1.1996)
<b>12.4 Mobility in soil:</b> No additional information available	
Ingredient	Mobility
amoxicillin trihydrate	LOW (KOC = 865.5)
microcrystalline cellulose	LOW (KOC = 10)
colloidal silicon dioxide	LOW (KOC = 23.74)
titanium dioxide	LOW (KOC = 23.74)
polyethylene glycol 6000	HIGH (KOC = 1)

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

##### Product / Packaging disposal:

DO NOT allow wash water from cleaning or process equipment to enter drains. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material. Consult State Land Waste Authority for disposal. Bury or incinerate residue at an approved site. Recycle containers if possible, or dispose of in an authorised landfill.

### SECTION 14: TRANSPORT INFORMATION

#### Labels required

Marine pollutant: NO

**Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS**

**Transport in bulk according to Annex II of MARPOL and the IBC code**

Not applicable

**Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code**

Not available

**Transport in bulk in accordance with the ICG Code**

Not available

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture****amoxicillin trihydrate**

Not applicable

**microcrystalline cellulose**

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS), US - Massachusetts - Right To Know Listed Chemicals, US ACGIH Threshold Limit Values (TLV), US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule, US NIOSH Recommended Exposure Limits (RELs), US OSHA Permissible Exposure Limits (PELs) Table Z-1, US OSHA Permissible Exposure Limits (PELs) Table Z-3, US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

**potassium clavulanate**

Not applicable

**sodium starch glycolate**

US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule, US TSCA - Chemical Substance Inventory

**magnesium stearate**

TLV, TLV – Carcinogens, RELs, PELs Table Z-1, PELs Table Z-3, US TSCA - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

**hypromellose E5**

US TSCA - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

**colloidal silicon dioxide**

Chemical Footprint Project - Chemicals of High Concern List, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs, MMMS, US - California - Biomonitoring - Priority Chemicals, US - California Proposition 65 – Carcinogens, US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List, US - Massachusetts - Right To Know Listed Chemicals, US DOE Temporary Emergency Exposure Limits (TEELs), US NIOSH Carcinogen List, RELs, US OSHA Carcinogens Listing, PELs Table Z-1, PELs Table Z-3, US TSCA - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

**titanium dioxide**

Chemical Footprint Project - Chemicals of High Concern List, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs, International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs - Group 2B: Possibly carcinogenic to humans, MMMS, US - California Proposition 65 – Carcinogens, US - California Safe Drinking Water and Toxic Enforcement Act of 1986 - Proposition 65 List, US – Massachusetts

- Right To Know Listed Chemicals, TLV, TLV – Carcinogens, TLV – Notice of Intended Changes, US DOE TEELs, US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule, US NIOSH Carcinogen List, RELs, PELs Table Z-1, PELs Table Z-3, US TSCA - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

#### **polyethylene glycol 6000**

US AIHA Workplace Environmental Exposure Levels (WEELs), TEELs, US TSCA - Chemical Substance Inventory, US Toxicology Excellence for Risk Assessment (TERA) Workplace Environmental Exposure Levels (WEEL), US TSCA Chemical Substance Inventory - Interim List of Active Substances

#### **iron oxide yellow**


RELs, PELs Table Z-1, PELs Table Z-3, US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory, US TSCA Chemical Substance Inventory - Interim List of Active Substances

### **15.2 Federal Regulations**

#### **Superfund Amendments and Reauthorization Act of 1986 (SARA):**

##### **Section 311/312 hazard categories**

Flammable (Gases, Aerosols, Liquids, or Solids)	No
Gas under pressure	No
Explosive	No
Self-heating	No
Pyrophoric (Liquid or Solid)	No
Pyrophoric Gas	No
Corrosive to metal	No
Oxidizer (Liquid, Solid or Gas)	No
Organic Peroxide	No
Self-reactive	No
In contact with water emits flammable gas	No
Combustible Dust	No
Carcinogenicity	Yes
Acute toxicity (any route of exposure)	No
Reproductive toxicity	No
Skin Corrosion or Irritation	Yes
Respiratory or Skin Sensitization	Yes
Serious eye damage or eye irritation	No
Specific target organ toxicity (single or repeated exposure)	No
Aspiration Hazard	No

Germ cell mutagenicity	No
Simple Asphyxiant	No
Hazards Not Otherwise Classified	No
<b>US. EPA CERCLA Hazardous Substances and Reportable Quantities (40 CFR 302.4)</b> None reported	
<b>State Regulations:</b> <b>US. California Proposition 65</b>  <b>WARNING:</b> This product can expose you to chemicals including <b>silica amorphous, titanium dioxide</b> , which are known to the State of California to cause cancer. For more information, go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> .	
<b>National Inventory Status:</b>	
<b>National Inventory</b>	<b>Status</b>
Austrália – AICS / Australia Non-Industrial Use	No (potassium clavulanate)
Canada – DSL	No (potassium clavulanate)
Canada – NDSL	No (amoxicillin trihydrate; potassium clavulanate; sodium starch glycolate; magnesium stearate; hypromellose E5; polyethylene glycol 6000; talc; iron oxide yellow)
China – IECSC	No (amoxicillin trihydrate; potassium clavulanate)
Europe - EINEC / ELINCS / NLP	No (sodium starch glycolate; hypromellose E5)
Japan – ENCS	No (amoxicillin trihydrate; cellulose; potassium clavulanate)
Korea – KECI	No (potassium clavulanate)
New Zealand – NZIoC	Yes
Philippines – PICCS	No (potassium clavulanate)
USA – TSCA	No (amoxicillin trihydrate; potassium clavulanate)
Taiwan – TCSI	Yes
Mexico – INSQ	No (potassium clavulanate; polyethylene glycol 6000)
Vietnam – NCI	Yes
Russia – FBEPH	No (amoxicillin trihydrate; potassium clavulanate; iron oxide yellow)
Yes = All ingredients are on the inventory No = Not determined or one or more ingredients are not on the inventory and are not exempt from listing (see specific ingredients in brackets)	





## SECTION 16: OTHER INFORMATION

Revision date: 11 November 2021

Revision number 2.0

The information provided in this Safety Data Sheet has been compiled by Dechra Veterinary Products LLC using a number of different sources, and is correct to the best of its knowledge, information and belief as of the date of its publication. However, Dechra Veterinary Products LLC makes no warranties, express or implied, in relation to the information set out in this Safety Data Sheet, including, without limitation, as to its accuracy or completeness. The information provided is not a quality specification, and is prepared by way of guidance as to the safe handling, use, processing, storage, transportation, disposal and release of the relevant products referred to. The user is responsible for determining whether or not the product is fit for any particular purpose and/or suitable for the user's proposed method of use and application.

Copyright, 2021 Dechra Veterinary Products LLC. All rights reserved.

Copying and/or downloading of this information for the purpose of properly utilizing Dechra Veterinary Products LLC products is permitted provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained Dechra Veterinary Products LLC, and (2) neither the copy nor the original is resold or otherwise distributed for the purposes of making a profit thereon.